


SONY**SONY 3D BLU-RAY DISC™ PLAYERS**

Watch Blu-ray movies in crystal clear Full HD 1080p, or connect to the internet and access an assortment of movies, videos and music from Netflix®, YouTube™, Pandora® and many more. Use your iPhone®, iPod touch® or Android device as a remote control when you download the free BD Remote app. Pair this 3D Blu-ray Disc player with a BRAVIA® 3D HDTV and 3D glasses to create the ultimate at-home 3D viewing experience. Other features include USB input, Gracenote™ metadata service, DLNA capability, Cross Search and Dolby® TrueHD internal decoding. I/O includes 2-channel RCA, coaxial, and optical audio outs as well as component, composite and HDMI video outs. USB and Ethernet ports are also included. The BDP-S580 adds Wi-Fi and IP content noise reduction.

ITEM	DESCRIPTION	PRICE
BDPS480.....	Blu-ray player, 3D compatible.....	199.99
BDPS580.....	Blu-ray player, 3D compatible, WiFi.....	199.99
TDBG100/B.....	3D glasses, black.....	149.99

**NEW!****TASCAM**

TASCAM DV-D01U RACKMOUNTABLE SINGLE DISC DVD PLAYER The DV-D01U is a rackmountable single-disc player with a powered loading tray. The player reads DVD video, DVD audio (2-channel only), video CD, CD-DA, MP3, WMA, .WAV, JPEG, ASF, MPEG-2/MPEG-1, and DivX. It is capable of playing back properly finalized DVD +R/+RW discs. Outputs consist of HDMI audio/video out and composite, S-video, and component video outputs. Rear panel stereo outputs are unbalanced (RCA) and digital outputs are optical. Digital outputs can pass Dolby Digital and DTS surround streams for later decoding. The DV-D01U provides extensive bi-directional RS232 serial control and an I/R remote control is included.

ITEM	DESCRIPTION	PRICE
DVD01U.....	Rackmountable DVD player, 1RU.....	CALL

TASCAM BD-R2000 HD/BLU-RAY/DVD RECORDER

Captures standard or high-definition video to hard drive, SD card, DVD or Blu-ray™ media – with authoring and editing included. It can store video on the hard drive, perform simple edits then author a disc menu before burning to standard DVD-Video or Blu-ray format. It supports video input from DV/HDV cameras (4-pin FireWire) and S-Video, or video files stored to USB 2.0 or SD/SDHC card. Disc playback is seamless, avoiding the pause between scenes often encountered on other solutions. Scenes can be trimmed, separated and arranged on a menu before committing to a blank disc. One-touch dubbing allows an entire DVD or Blu-ray disc, USB drive or SD/SDHC card to be stored on the hard drive, then burned to Blu-ray disc at up to 32x speed. I/O includes HDMI out, composite (BNC), component (BNC) and S-Video analog video out, optical digital out, S-Video and composite input and RS232C serial control port.

ITEM	DESCRIPTION	PRICE
BDR2000.....	HD/BLU-RAY/DVD recorder.....	CALL
BDR50X50CBS.....	Dual layer BD-R discs, 50GB, 50pk (by TDK).....	CALL
TS32GSDHC4.....	SDHC card, 32GB, class 4 (by Transcend).....	CALL

**NEW!****YAMAHA****YAMAHA BD-S667 BLU-RAY PLAYER**

This player offers impressive 1080p full HD video, as well as audio playback of all current HD formats. It also offers BD-Live, BonusView and Netflix internet video streaming along with dual USB (front/rear) inputs. Other features include a DLNA certified digital media player, Yamaha SCENE compatibility, HDMI CEC functionality, on-screen display GUI, multimedia compatibility for Disc/USB: AVCHD, WMV, JPEG (HD), MP3 & WMA, x.v. Color and Deep Color compatibility, and HDMI output.

ITEM	DESCRIPTION	PRICE
BD-S667BL.....	Blu-ray disc player, black.....	CALL
HDMI-HDMI-6-INDUSTR.....	6' HDMI cable (by Cable Up).....	19.70

**NEW!****data video****DATAVIDEO TLM-702 7" X2 TFT LCD MONITORS**

The TLM-702 includes two 7" TFT LCD monitors (1440 x 234) in a standard 19" rackmount, 3RU high. It can tilt up to +/- 30° and lock in any position. Controls include flip, 4:3 aspect, 16:9 aspect, mirror image, source select, contrast, brightness, color, and tint.

ITEM	DESCRIPTION	PRICE
TLM702.....	7" x 2 TFT LCD monitor, 3RU.....	816.00
TLM702MH.....	TLM-702 monitor w/holder to attach to SE-500 switcher.....	1008.00

**DATAVIDEO TLM433 THREE 4.5" LCD MONITOR UNIT**

This rackmountable unit has adjustments for contrast, brightness, color & tint and an LED tally light indicator above each screen. Includes 3 composite video BNC outs for loop-through.

ITEM	DESCRIPTION	PRICE
TLM433.....	Rackmount 3x 4.5" LCD broadcast monitors, 2RU.....	960.00

**DATAVIDEO TLM170 SERIES LCD MONITORS**

The TLM-170 series are 17" 16:9 aspect ratio, 1440 x 900 high-resolution monitors with built-in speakers. Versions include tabletop or rackmount, all with rackmount ears as an accessory (installed on the "M" and "DM"). Video inputs include composite BNC x2, component, S-Video, VGA and HDMI, and stereo RCA audio inputs. The "D" models include one HD/SD-SDI input and pass-thru output. Other features include 450:1 contrast ration, picture-in-picture mode, 16:9/4:3 switchable and built-in stereo speakers.

ITEM	DESCRIPTION	PRICE
TLM170.....	17" LCD production monitor, table top.....	1457.00
TLM170D.....	TLM170 with HD/SD-SDI input.....	1745.00
TLM170M.....	TLM170 with rackmount ears installed.....	1728.00
TLM170MD.....	TLM170 with HD/SD-SDI, rackmount ears installed.....	2016.00

**DATAVIDEO TLM-700 7" HD/SD-SDI FIELD MONITOR**

Suited for use in the field or studio. This unit can be powered with 12V DC or AC and automatically switches between PAL and NTSC standards. It also features a standard V-mount that allows you to use a universal battery from a variety of manufacturers. A sunshade is included, making it a flexible solution for in-the-field or in-studio applications. The TLM-700HD can be calibrated with an internal color bar, color temperature, color select and the "blue-only" mode. Inputs include HD/SD-SDI, HDMI, YUV component and composite. A 15-pin D-sub connector is available for tally control. Kit also includes 12V DC power supply, battery not included.

ITEM	DESCRIPTION	PRICE
TLM700-HD.....	7" TFT LCD field monitor with HD/SD-SDI input.....	960.00
MO-TLM700.....	Porta-Brace case for TLM700HD.....	181.41
E7-IDX.....	IDX Li-Ion V-Mount battery 71Wh/4.8Ah, 14.8V with PowerLink.....	310.77

**NEW!****ikan****IKAN LCD MONITORS**

The ikan VH7 is a 7" monitor with a 1024x600 resolution with 16:9 and 4:3 aspect ratios and can be powered with the provided AC107 DV battery plate with your choice of Sony, Canon, or Panasonic battery styles. Also features a 1/4"-20 threaded hole for hot shoe mounting and 62mm thread spacing for a battery plate. Includes HDMI, VGA and two composite inputs. The new ikan VL7 is a great entry-level HD evaluation monitor for HD/SLR use. It has a 7" monitor with 800x480 resolution with a switchable 16:9 & 4:3 aspect ratio. It has HDMI and composite inputs and includes the ikan BP2T DV battery adapter plate.

ITEM	DESCRIPTION	PRICE
VH7-C.....	7" HDMI Monitor w/ Canon battery plate.....	399.00
VH7-P.....	7" HDMI Monitor w/ Panasonic battery plate.....	399.00
VH7-S.....	7" HDMI Monitor w/ Sony battery plate.....	399.00
VH7-C-DK.....	Deluxe Kit for Canon w/ AV cables, AC adapter, shoe mount, battery plate, IBC950 battery, charger, and hard case.....	549.00
VH7-P-DK.....	Deluxe Kit for Panasonic, same as above w/ ICHD54 battery.....	549.00
VH7-S-DK.....	Deluxe Kit for Sony, same as above w/ ICH750 battery.....	549.00
VL7-C.....	7" HDMI & composite monitor w/ Canon battery plate.....	289.00
VL7-P.....	7" HDMI & composite monitor w/ Panasonic battery plate.....	289.00
VL7-S.....	7" HDMI & composite monitor w/ Sony battery plate.....	289.00

**NEW!**

AUDIO



COMPUTER AV



ACCESSORIES



ikan

IKAN LCD MONITORS These small, versatile TFT LCD monitors are lightweight, have low power consumption, and are ideal for all DV cameras. They feature 4:4 or 16:9 aspect ratios, onscreen display control, anti-glare screens, wide viewing angles, and are NTSC/PAL. The HDMI versions come with either a Canon, Panasonic or Sony battery adapter plate.



ITEM	DESCRIPTION	PRICE
V17E.....	17" HD 16:9/4:3 monitor, 1366x768, inputs are HDMI, DVI, VGA, component, S-video, composite.....	1095.00
V17E-A-FK.....	Kit w/V17e monitor, screen protector, monitor yoke, monitor kick stand, power cable & V-mount pro battery plate kit.....	1299.00
V17E-S-FK.....	Kit w/V17e monitor, screen protector, monitor yoke, monitor kick stand, power cable & Gold mount pro battery plate kit.....	1299.00
V5600-DK-C.....	Deluxe Kit for Canon - "L" series battery w/ V5600 monitor, cables, AC adapter, battery & battery plate, charger & soft case.....	699.00
V5600-DK-P.....	Deluxe Kit for Panasonic - "D54" series battery w/ V5600 monitor, cables, AC adapter, battery & battery plate, charger & soft case.....	699.00
V5600-DK-S.....	Deluxe Kit for Sony - "900" series battery w/ V5600 monitor, cables, AC adapter, battery & battery plate, charger & soft case.....	699.00
VG7.....	7" monitor, 16:9/4:4 LCD, 1440x234, composite input.....	299.00
VG7-DK-C.....	Deluxe Kit for Canon - "L" series battery w/VG7 monitor, cables, AC adapter, shoe mount, sunhood, battery, battery charger & hard case.....	449.00
VG7-DK-P.....	Deluxe Kit for Panasonic - "D54" series battery w/VG7 monitor, cables, AC adapter, shoe mount, sunhood, battery, battery charger & hard case.....	449.00
VG7-DK-S.....	Deluxe Kit for Sony - "900" series battery w/VG7 monitor, cables, AC adapter, shoe mount, sunhood, battery, battery charger & hard case.....	449.00
V8000HDMI-C.....	8" monitor w/Canon DV battery adapter plate, 16:9/4:3 widescreen SD/HD.....	745.00
V8000HDMI-P.....	Same as V8000HDMI-C but for Panasonic.....	745.00
V8000HDMI-S.....	Same as V8000HDMI-C but for Sony.....	745.00

IKAN VX SERIES

MONITOR KITS Affordable HD LCD monitors for field production. These LCDs output 1024x600 pixel resolution and a 400:1 contrast ratio. The VX7 inputs include HD/SD-SDI, HDMI, HD/SD component and composite; the VX9 adds a S-Video input.

Additional features include over/under-scan, blue gun calibration, moveable pixel-to-pixel zoom. For mounting flexibility, 1/4-20 threaded mounting holes are on all four sides. Each kit includes a monitor, shoe mount, hard case, AC adapter, and your choice of battery plate, charger and battery (Canon, Panasonic or Sony). Optional pro battery mounts for Anton-Bauer and V-mount batteries are available.



ITEM	DESCRIPTION	PRICE
VX7-C-DK.....	Deluxe 7" LCD monitor kit, Canon.....	1145.00
VX7-P-DK.....	Deluxe 7" LCD monitor kit, Panasonic.....	1145.00
VX7-S-DK.....	Deluxe 7" LCD monitor kit, Sony.....	1145.00
VX9-C-DK.....	Deluxe 8.9" LCD monitor kit, Canon.....	1199.00
VX9-P-DK.....	Deluxe 8.9" LCD monitor kit, Panasonic.....	1199.00
VX9-S-DK.....	Deluxe 8.9" LCD monitor kit, Sony.....	1199.00
PBK17-A.....	Pro Battery Kit, Anton Bauer batteries.....	149.00
PBK17-S.....	Pro Battery Kit, "V" mount batteries.....	149.00

JVC

JVC BROADCAST LCD MONITORS

The new "Verité G-Series" has full 1080p image display that offers a much wider color range and wider viewing angles than previous models. A 3G/dual-link HD-SDI input enables monitoring of 1080/60p signals. Digital closed captioning is now standard. Has superior scaling and de-interlacing, 10bit 4:4:4 1080p processing. Has advanced audio level meter (up to 12 channels) with peak hold. Inputs include DVI-D, component/RGB and composite video as well as RCA audio-in. Free monitor calibration software available on JVC's website.



ITEM	DESCRIPTION	PRICE
DTV17G1Z.....	17" HD LCD, 1080p, with HD/SD-SDI inputs.....	3300.00
DTV24G1Z.....	24" HD LCD, 1080p, with HD/SD-SDI inputs.....	CALL
RAK17LDCDS.....	Rackmount kit for DTV17G1Z.....	140.00
RAK2024LCD.....	Rackmount kit for DTV 20"/24" LCDs.....	173.05

Marshall Electronics



MARSHALL ELECTRONICS MD SERIES LCD RACK DISPLAYS

WITH MODULAR INPUTS The MD series of rack monitors feature interchangeable input modules. The V-MD434 & V-MD503 units feature advanced front panel menu and feature control. The V-MD702, V-MD171X, and V-MD201 feature composite & component inputs. All models feature false color filter, markers, freeze function, status display, color temp presets, RGB gain/bias adjust, blue gun, pixel-to-pixel, hard tally. V-MD171X & V-MD201 monitors can be used on desktops with purchase of optional stand. Monitors can be purchased with 3GSDI input modules already installed.

NEW!

ITEM	DESCRIPTION	PRICE
V-MD434.....	2RU (4) 4.3" 800x480 widescreen rack monitor unit, w/front-panel menu/feature control, w/o input modules.....	2597.85
V-MD503.....	2RU (3) 5" 800x480 rack monitor unit, w/front-panel menu/feature control, w/o input modules.....	2011.35
V-MD563.....	3RU (3) 5.6" LED-backlit 1280x800 rack monitor unit w/composite/component inputs.....	2988.85
V-MD72.....	3RU (2) 7" LED-backlit 800x480 rack monitor unit, w/o input modules.....	1723.85
V-MD702.....	Same as V-MD72, but w/composite/component inputs.....	1907.85
V-MD171X.....	6RU 17" 1900x1200 rack monitor w/composite/component inputs.....	1896.35
V-MD201.....	7RU 20" 1600x900 rack monitor w/composite/component inputs.....	1493.85

Input Modules for V-MD434, V-MD503

MD-3GSDI-B.....	3G/HD/SDI input module w/loop-through.....	320.85
MD-HDSIX2-B.....	2-channel HDSI input module w/switched output.....	401.35
MD-HDMI2-B.....	2-channel HDMI input module.....	166.75
MD-DVII-B.....	DVI-I input module.....	166.75

Input Modules for All Other Models

MD-3GSDI-A.....	3G/HD/SDI input module w/loop-through.....	320.85
MD-HDSIX2-A.....	2-channel HDSI input module w/switched output.....	412.85
MD-HDMI2-A.....	2-channel HDMI input module.....	167.75
MD-DVII-A.....	DVI-I input module.....	166.75

Desktop Stands

V-ST15.....	Desktop stand for V-MD171X rack monitor.....	34.44
V-ST20.....	Desktop stand for V-MD201 rack monitor.....	45.94

V-R653-IMD-TE



V-R231-IMD-HSDI



MARSHALL ELECTRONICS IN-MONITOR DISPLAY-CAPABLE (IMD) LCD MONITORS

Allows UMD (Under-Monitor Display) information and tallies to be displayed directly within the monitor. Available features include on-screen video time code, 3-color "Soft" Tallies, audio presence indicator and easy menu navigation. Integrates easily with existing Tally systems and controllers, while supporting Image Video, NVISION, TSL, and MEI protocols. All except the Quad Viewer monitors include HDSI/SDI inputs and can be used as standalone displays with HDSI loop-through. Quad Viewer models offer full-screen mode for video and DVI and quad-split mode (via built-in HD quad splitter) which is scaled to fit onscreen in the highest resolution. The Quad Viewer models have (4) independent HDSI inputs, (1) DVI input, field-upgradeable firmware, and an RS422/485 port with pass-through. Dual Link/Waveform models feature 10-bit video path with 3G capable monitors and can display live video, audio bars, waveform and vectorscope in quad-view mode. They also have (2) 3G/HD/SDI inputs, Dual Link, a DVI input, RS485 firmware updating, and closed captioning (CEA-608-B, CEA-708-B). The NCB-1005 allows connected IMD monitors to be controlled by PC via Ethernet.

ITEM	DESCRIPTION	PRICE
V-R653P-IMD-TE.....	(3) 6.5" HD/SD monitors in 2RU rack unit, 1024xRGBx768.....	CALL
V-R653SB-IMD-TE.....	As above but outdoor version.....	CALL
V-R1041-IMD-TE4U.....	10.4" HD/SD rackmount monitor, 4RU, 1024xRGBx768.....	2068.85
V-R1042-IMD-TE4U.....	(2) 10.4" HD/SD monitors in 4RU rack unit, 1024xRGBx768.....	3444.25
V-R171X-IMD-HSDI.....	17" HD/SD rackmount monitor, 6RU, 1920x1200.....	2413.85
V-R201-IMD-TE.....	20" HD/SD rackmount monitor, 6RU, 1680xRGBx1050.....	1930.85
V-R261-IMD-HSDI.....	26" HD/SD desktop monitor w/stand, 1920xRGBx1200.....	2528.85
VP-LCD171H-ST-01.....	VESA mount stand w/pivot and tilt for 20", 23" monitors.....	182.85
NCB-1005.....	Network control box for -IMD monitors.....	2988.85
V-R171X-IMD-HSDI.....	17" rackmount monitor, 6RU, 1920xRGBx1200.....	2413.85
QV-171X-HSDI.....	17" HD rackmount Quad Viewer monitor, 6RU, 1920x1200.....	CALL
QV261-HSDI.....	26" HD standalone Quad Viewer monitor, 1920x1200.....	CALL
V-ST15.....	Desktop stand for Quad Viewer monitors.....	34.44
V-R171X-DLW.....	17" Dual link/waveform monitor, 1920x1200.....	3333.85
V-R261-DLW.....	26" Dual link/waveform monitor, 1920x1200.....	CALL

We offer over 700 top brands, low prices and outstanding service.



Honesty and Value
since 1971

Our Monitors. Your Vision.

VX7e



7" LCD Monitor
1024 x 600 Resolution

NEW!

Peaking,
False Color and
Pixel to Pixel

HDMI, HD-SDI, Component
& Composite Inputs

HD-SDI to Analog Composite
Conversion, In-Monitor



VX9

- 8.9" Professional LCD Monitor
- 1024 x 600 Resolution
- HDMI, HD-SDI, Component & Composite Inputs
- HD-SDI to Analog Composite Conversion, In-Monitor
- LED Backlit



VH7

- 7" Prosumer LCD Monitor
- 1024 x 600 Resolution
- HDMI, VGA & Composite Inputs
- Contrast Ratio 400:1



VL7

- 7" Entry Level LCD Monitor
- 800 x 480 Resolution
- HDMI & Composite Input
- Lightweight & Affordable



V5600

- 5.6" Prosumer LCD Monitor
- 1024 x 600 Resolution
- HDMI, & Component, Composite Inputs
- Lightweight & Affordable

ikan

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
800-356-5844
FULLCOMPASS.COM

Marshall Electronics



V-R44P



V-R563P

MARSHALL ELECTRONICS PROFESSIONAL LCD RACK MOUNT MONITORS

These come in a wide variety of size and mounting arrangements to make optimum use of rack space. Displays are lightweight, have a shallow depth, run cool and tilt for optimum viewing. Many models feature TFT MegaPixel™ displays for greatly improved images compared to other CRT & LCDs, offering the highest pixel density. Available in 2.5" to 15" displays. Significant improvements have also been made to brightness, contrast ratio, and viewing angles. Configurations are available with HDS/SDI, SDI, DVI, Component HD/SD, and composite video inputs.

ITEM	DESCRIPTION	PRICE
V-R44DP-SDI	Four 3.5" in 2RU, ultra high resolution (202dpi), 0.9 Megapixel, SDI inputs on each	2471.35
V-R43P	Triple 4" in 2RU, composite inputs on each	1006.25
V-R44P	Four 4" in 2RU, composite inputs on each	1263.85
V-R44P-DVI	Four 4" HD in 2RU, ultra high resolution (202dpi), 0.9 Megapixel, DVI-I inputs on each	2873.85
V-R44P-HDS/SDI	Four 4" HD in 2RU, ultra high resolution (202dpi), 0.9 Megapixel, has HDS/SDI inputs on each	3218.85
V-R53P	Triple 5" in 3RU, 960x234, has dual composite & 1 VGA input on each	1781.35
V-R53P-SDI	Triple 5" in 3RU, 960x234, has composite, SDI & VGA inputs on each	2183.85
V-R563P	Triple 5.6" in 3RU, 2 composite inputs on each	1378.85
V-R563P-SDI	Triple 5.6" in 3RU, has SDI and composite inputs on each	2183.85
V-R653P-HDS/SDI	Triple 6.5" HD in 3RU, SDI/HDS/SDI inputs, composite & component inputs	3103.85
V-R70P-HDS/SDI	Standalone 7" HD widescreen 1.2 TFT-Megapixel, video assist monitor, HDS/SDI inputs	1608.85
V-R70-1M	Rackmount adapter for V-R70P units	59.80
V-R72DP-2C	Dual 7" widescreen in 3RU, 2 composite inputs on each	1608.85
V-R72P-2SD	Dual 7" in 3RU, 800x480, has composite, S-Video, component HD/SD (YPbPr), and SDI inputs on each	2183.85
V-R72P-2HD	Dual 7" multiformat widescreen 1.2 Megapixel in 3RU, has composite, s-video, component HD/SD (YPbPr) & HD/SDI inputs on each	3161.35
V-R72P-2HDS/SDI	Budget dual 7", HD/SD 1.2 Megapixel in 3RU w/HDS/SDI inputs on each	2413.85
V-R72P-2HDA	Dual 7" 1.2 Megapixel Analog HD/SD LCD w/ composite, S-Video, YPbPr & DVI inputs on each	2298.85
V-R82SB-AFHD	Dual 8.4" backlit for outdoor use in 4RU, 800x600, with HDS/SDI, component, composite, s-video, DVI, SXGA inputs on each	CALL

MARSHALL ELECTRONICS PORTABLE FIELD MONITORS

These models are designed for outdoor and high ambient light situations. The LCD70XP and LCD651STX models have expanded hi-definition input options (HDMI, 3GSDI, e.g.), false color exposure assist, and peaking filter focus assist. The LCD50 model uses a single HDMI input and is powered by AA batteries or an included AC power supply. The LCD651STX and LCD70XP models are also available with Canon, JVC, Panasonic and Sony battery mounts.



V-LCD655SB-HDA

ITEM	DESCRIPTION	PRICE
Sunbright Models		
V-LCD65SB-HDA	6.5" Hi-res Sunbright monitor, RGB, 640x480	1493.85
V-LCD84SB-AFHD	8.4" Hi-def Sunbright monitor, RGB, 800x600, also has SDI/HDS/SDI, VGA, DVI & S-Video inputs	2517.35
V-LCD15SB-AFHD-DT	15" Hi-def Sunbright monitor, 1024xRGBx768, also has SDI/HDS/SDI, VGA, DVI & S-Video inputs, includes desktop stand	2528.85

5" Model

V-LCD50-HDMI	5" HDMI camera-top monitor, 800x480	516.35
--------------	-------------------------------------	--------

6.5" Models

V-LCD651STX-HDA	6.5" Hi-res camera-top monitor, 1024x768	1528.35
V-LCD651STX-HDA-AB	As above w/Anton Bauer battery adapter	1631.85
V-LCD651STX-HDA-VM	As above w/V-Mount battery adapters	1631.85
V-LCD651STX-HDMI	6.5" Hi-res camera-top monitor w/HDMI in, 1024x768	1608.85
V-LCD651STX-HDMI-AB	As above w/Anton Bauer battery adapter	1723.85
V-LCD651STX-HDMI-VM	As above w/V-Mount battery adapters	1723.85
V-LCD651STX-3GSDI	6.5" Hi-res camera-top monitor w/3G/HD/SD in, 1024x768	1769.85
V-LCD651STX-3GSDI-AB	As above w/Anton Bauer battery adapter	1884.85
V-LCD651STX-3GSDI-VM	As above w/V-Mount battery adapter	1884.85

7" Models

V-LCD70XP-HDA	7" Hi-res camera-top monitor, 800x480	815.35
V-LCD70XP-HDA-AB	As above w/Anton Bauer battery adapter	919.94
V-LCD70XP-HDA-VM	As above w/V-Mount battery mount adapter	919.94
V-LCD70XP-HDMI	7" Hi-res camera-top monitor w/HDMI in, 800x480	895.85
V-LCD70XP-HDMI-AB	As above w/Anton Bauer battery adapter	1010.85
V-LCD70XP-HDMI-VM	As above w/V-Mount battery adapter	895.85
V-LCD70XP-3GSDI	7" Hi-res camera-top monitor w/3G/HD/SD in, 800x480	1045.35
V-LCD70XP-3GSDI-AB	As above w/Anton Bauer battery adapter	1148.85
V-LCD70XP-3GSDI-VM	As above w/V-Mount battery adapter	1148.85

Accessories

V-H700	Short Sun Hood for the V-LCD70XP & V-LCD651STX monitors	74.70
V-H7M	Long Sun Hood for the V-R70P-HDS/SDI/HDA series	74.70

Marshall Electronics

MARSHALL ELECTRONICS LYNX SERIES LCD MONITORS

These come in a wide variety of size and mounting arrangements to make optimum use of rack space. Displays are lightweight, have a shallow depth, run cool and tilt for optimum viewing. Many of the newest models feature TFT MegaPixel™ displays for greatly improved images compared to similar CRT and standard LCD products, offering the highest pixel density. Available in 2.5" to 15" displays. Significant improvements have also been made to brightness, contrast ratio, and viewing angles. Configurations are available with HDS/SDI, SDI, DVI, Component HD/SD, and composite video inputs. MegaPixel models feature screens calibrated to SMPTE/ITU standards for color gamut and color temperature.



ITEM	DESCRIPTION	PRICE
M-LYNX-10	10" 4:3 LCD monitor w/composite, S-video, stereo audio inputs & outputs, VGA input, 800x600	304.53
M-LYNX-10W	10" TFT 16:9 LCD monitor w/rear speakers, remote control, composite, VGA, stereo audio inputs, 1024x600	366.99
M-LYNX-15	15" 4:3 LCD monitor w/speakers, composite, S-video, audio inputs & outputs, VGA, DVI inputs, 1024x768	411.62
M-LYNX-17	17" 5:4 LCD monitor w/speakers, composite, S-video, audio inputs & outputs, VGA, DVI inputs, 1280x1024	445.09
M-LYNX-19	19" 5:4 LCD monitor w/speakers, composite, S-video, audio inputs & outputs, VGA, DVI inputs, 1280x1024	545.48

MARSHALL ELECTRONICS ORCHID SERIES RACK-MOUNT BROADCAST LCD MONITORS

This series of rack-mount monitors not only allows you to integrate interchangeable components or DVI input modules, but is also packed with additional features: re-clocked outputs, auto-sensing HDS/SDI inputs, real-time waveform monitors, real-time color vectorscopes, tri-color tally indicators, adjustable color temperature, on-screen time code, precision gamma settings, adjustable clipping indicators, and more. All models are capable of de-embedding & displaying up to 16 channels of audio, any 2 channels of which can be monitored at one time. Each unit comes with at least 1 HDS/SDI input (2 inputs on OR-503, OR-701A, & OR-702), 1 HDS/SDI output, and 1 input slot per screen, as well as front and rear stereo audio 3.5mm outputs. The OR-503 feature 4 assignable rotary encoders and a 5-button menu system per screen, OR-701A & OR-702 units feature 4 assignable rotary encoders and an 11-button menu system per screen.



ITEM	DESCRIPTION	PRICE
OR-434	Four 4.3" monitors rack unit, 2RU, 5 assignable function keys & 1 joystick/screen, 800x480	CALL
OR-503	Three 5" monitors rack unit, 3RU, 6 assignable buttons/screen, 800x480	CALL
OR-701A	Single 7" monitors rack unit, 3RU, dual HD/SD-SDI inputs, stereo speakers, 11 assignable keys/screen, 800x480	2413.85
OR-702	Two 7" monitors rack unit, 3RU, 11 assignable keys/screen, 800x480	3310.85
OR-YPR	Optional component input module	228.85
OR-DVI	Optional DVI-I input module	182.85

Panasonic

PANASONIC BROADCAST LCD MONITORS

Designed for critical broadcast and production applications as reference grade HD and SD monitors.



ITEM	DESCRIPTION	PRICE
BTLH80WUPJ	7.9" HD/SD 16:9 EVF monitor, SDI/HD-SDI, 3.3lbs	2291.76
BTLH900APJ	8.4" multi-format (16:9/4:3) monitor, 1024x768, HD/SD production monitor with composite, component, and (2) HD/SD SDI inputs, waveform monitoring function, 4.4lbs	CALL
BTLH1760	17" widescreen (16:9) LCD monitor, 1280x768, DVI-D input, 120Hz drive circuit, Vectorscope/WFM, (2) HD-SDI/SDI inputs, embedded audio, time code/CC capable, headphone output, AC/DC power supply, and desk stand, 13.7lbs	CALL
BTLH2550PJ	25.5" HD widescreen monitor, 1920 x 1200, (2) HD-SDI ports, (1) DVI-D input, composite, component, vectorscope, 18.1lbs	CALL

Accessories

BTMA900	Rackmount for (2) BTLH900AP	571.20
BTMA1710G	Rackmount adapter for BTLH1760	222.00
BT-YUC1700	Thermodyne case for BTLH1760	246.00
BT-YUC2550	Travel case for BTLH2550W	582.00
BT-MOUNT	Camera mount for BTLH80WUPJ	144.00
RAK80	Rackmount for (2) BTLH80WUPJ's side-by-side	148.80

Call for more accessories.





Expand Your Video Chat & Web Conferencing with MXL USB Microphones



AC-404 Professional Series USB Conference Microphone

- Delivers outstanding sound quality even in noisy environments
- Turn any location into a conference room
- Built-in headphone/speaker monitoring jack



Having top quality, reliable communication tools is crucial to effective business. Video conferencing solutions offer clear images for your computer, and now thanks to MXL, you can also experience high quality sound. Organizations looking to deliver the best in tone, definition, and coverage can enhance their audio experience with MXL USB microphones.

Superior sound quality over built-in microphones

Wide coverage so everyone can be heard

USB powered—plug it into your PC or Mac computer and you're ready to chat

Enjoy crystal clear audio on Skype, iChat, iChat, Google Talk and AOL

AC-400 Gooseneck Microphone



Add more people with MXL gooseneck extension mics
Ideal for web conferencing and video chats

EXTREMELY FLEXIBLE!

AC-40EXT Gooseneck Extension

Add the optional AC-40EXT gooseneck extension microphone to the AC-400 mic to extend the range of your conference!



Marshall Electronics

V-LCD50-HDMI

5" Professional Camera-Top LCD Monitor



- The perfect solution for DSLR and Professional Video Cameras
- High Resolution (800x480) LED-backlit LCD Display
- Professional features includes False Color and Peaking Filters, Pixel-to-Pixel, Image Flip, Freeze Frame, Safe Markers, and more
- Lightweight and compact design – weighs only 0.55 lbs (250g)
- Easily mounts on most cameras (hot shoe adapter included)
- Can be operated in the field with just 4 AA alkaline batteries
- Designed, engineered, and assembled in USA



Call a Sales Pro Today! 800-356-5844
Or Visit FullCompass.com

